

L.O: I can subtract

Example 1: $37 - 26$

Step 1: Lay it out using your hto columns

h	t	o	
	3	7	
	2	6	+
<hr/>			

Example 1: 37 - 26

Step 2: Subtract the ones

h t o

3 7

2 6 -

1

(7 - 6 = 1)

L.O: I can subtract

Example 1: 37 - 26

Step 3: Subtract the tens

h t o

3 7

2 6 -

1

(7 - 6 = 1)

Example 1: 37 - 26

Step 4: Total these answers

h	t	o	
	3	7	
	2	6	-
<hr/>			

1

$$(7 - 6 = 1)$$

1 0

$$(30 - 20 = 10)$$

1 1

$$(10 + 1 = 11)$$

Example 1: 37 - 26

If you opt for a Spicy/Hot approach, you may choose to do column method rather than expanded - see below.

$$\begin{array}{r} \text{h} \quad \text{t} \quad \text{o} \\ \hline \quad 3 \quad 7 \\ \quad 2 \quad 6 \quad - \\ \hline \quad 1 \quad 1 \end{array}$$

Example 2: 337 - 128

EXPANDED METHOD

h	t	o	
3	3	7	
1	2	8	-
<hr/>			
<hr/>			

Straight away, I
have a problem!
7 - 8? I CAN'T
DO IT! I need to
STEAL/
exchange a ten!)

Example 2: 337 - 128

EXPANDED METHOD

h	t	o	
3	3	7	
1	2	8	-
<hr/>			
		9	
<hr/>			

So I EXCHANGE a ten from the tens column and add it to my ones!
Now I have 17 - 8: much better!

$$(17 - 8 = 9)$$

Example 2: 337 - 128

EXPANDED METHOD

h	t	o	
3	3	7	
1	2	8	-
<hr/>			
		9	
	0	0	
<hr/>			

Remember, I now only have 20 in my tens column!

$$(17 - 8 = 9)$$

$$(20 - 20 = 0)$$

Example 2: 337 - 128

EXPANDED METHOD

h t o

3 ~~3~~ 7

1 2 8 -

9

$$(17 - 8 = 9)$$

0 0

$$(20 - 20 = 0)$$

2 0 0

$$(300 - 100 = 200)$$

Example 2: 337 - 128

EXPANDED METHOD

	h	t	o	
	3	3	7	
	1	2	8	-
<hr/>				

9 (17 - 8 = 9)

0 0 (20 - 20 = 0)

2	0	0
<hr/>		

(300 - 100 = 200)

2	0	9
---	---	---

(200 + 0 + 9)

Example 2: 337 - 128

COLUMN METHOD

h t o

3 ~~2~~ 17

1 2 8 -

2 0 9